



VENUE SHEET

Hjalmar Bergman Theatre

The building was designed by brothers Erik and Tore Ahlsén and inaugurated in 1965 in connection with Örebro's 700th anniversary.

The construction and appearance bear clear traces of functionalism and Le Corbusier's ideals and are largely preserved in their original condition, both exterior and interior. The materials used are predominantly red sandstone, teak, untreated concrete, copper, and glass.

The new Hjalmar Bergman Theatre has a stage that is 23 meters wide and 10 meters deep, a backstage area, and a 7-meter-high auxiliary stage directly connected to the loading dock. The auditorium, with its steep slope, has 587 seats.

The armchairs are upholstered in red leather. The curtain was designed by Olle Nyman. Beneath the sloping auditorium is a foyer with a fountain.

Address

Venue

Olof Palmes Torg 3
702 22 Örebro

Loading Dock

Änggatan 14 via Södergaraget



Contacts


Venue Manager:

Tomas Fridborg

tomas.fridborg@orebro.se
+46 70-318 55 66

Catering: Bechir Brolin

bechir.brolin@conventum.se
+46 19-766 45 24
+46 735-099 946




Seating plan

Stalls: 577 seats

Wheelchair: 4 + 4 companions

Total: 581 sellable seats





Stage equipment

Stage floor: Wooden, painted black

Width: 23.2 m

Depth: 10.2 m

Height: 14 m

Normal stage opening: 14 m

Normal playing depth: 8 m

Normal height: 8 m

Main curtain & side curtain

Curtain operation: Manual and electric

Curtain control side: Right

Fire curtain: Iron drag curtain (mandatory)

Proscenium towers: 2

Drapes

Drapes: Showtex velvet

Legs: 9 × 4 m, 10 pcs

Borders: 21 × 4 m, 5 pcs

Mid-backdrop: 7 × 8 m, 2 pcs

Backdrop: 12 × 10 m, 2 pcs

Drawings

You can find drawing plans of the stage on our website

kulturkvarteret.orebro.se



kulturkvarteret.orebro.se

Cross-hearing

There is a risk of cross-hearing into conference rooms and Club 700. Therefore, sound check times and concert times must be carefully coordinated.



Hjalmar
Bergman
Teatern



Technical equipment

Sound

Mixer: Allen & Heath SQ7

Stageboxes: Allen & Heath DX168, 3 pcs

Speakers (side):

- D&B Y-system Y8 line array, 6 pcs
- D&B Y-system Y12 line array, 2 pcs
- D&B Y-system Y-sub, 1 pc
- D&B Y-system SL-sub, 1 pc
- D&B T10 frontfill, 1 pc

Speakers (center): D&B 245-d, 2 pcs

Microphones: Shure Axient – 6 lavaliers, or 4 lavaliers
+ 2 handheld

Lighting

- Existing fixed unfiltered light from stage and front

Extra technician required for light regulation:

700 SEK/hour excl. VAT

Lighting console: MA Lighting MA3 Compact

Front light: ETC S4 Zoom 18–30, 12 pcs

Stage light: Strand Cantata PC, 20 pcs

Network

- Cat 6a FOH–Stage, 2 per side

Power

63A: 5 outlets

32A: 1 outlet

16A: 2 outlets

kulturkvarteret.orebro.se



Hjalmar
Bergman
Teatern



Loading dock

1. Drive down into Södergaraget at Änggatan 14, located in the middle of the roadway.
2. The truck must not be higher than 3.25 m (ignore the sign).
3. Once inside, turn immediately left and back into the loading bay.

Trucks higher than 3.25 m

Transfer to a smaller van is required for trucks higher than 3.25 m. Cost charged to organizer: 1200 SEK/hour, minimum 3 hours.



Dressing rooms

One floor up there are 10 dressing rooms of various sizes, with a total of 60 places.

Facilities: 3 toilets, 5 showers, washing machine available.

